Index of Authors

VOLUME 85 (EMG & Motor Control), 1992

(Abstracts from Society Proceedings are not included)

Agostino, R., Hallett, M. and Sanes, J.N.

Antagonist muscle inhibition before rapid voluntary movements of the human wrist (85) 190

Alexeeva, N.L., see Kudina, L.P. (85) 243

Alexeeva, N.L., see Kudina, L.P. (85) 345

Allatt, R.D., see Hayes, K.C. (85) 102

Allatt, R.D., see Kasai, T. (85) 95

Amassian, V.E., Cracco, R.Q., Maccabee, P.J. and Cracco, J.B. Cerebello-frontal cortical projections in humans studied with the magnetic coil (85) 265

Amassian, V.E., Eberle, L., Maccabee, P.J. and Cracco, R.Q. Modelling magnetic coil excitation of human cerebral cortex with a peripheral nerve immersed in a brain-shaped volume conductor: the significance of fiber bending in excitation (85) 291

Andreassen, S., Falck, B. and Olesen, K.G.

Diagnostic function of the Microhuman prototype of the expert

system — MUNIN (85) 143

Arendt-Nielsen, L., Gantchev, N. and Sinkjær, T.

The influence of muscle length on muscle fibre conduction velocity and development of muscle fatigue (85) 166

Arendt-Nielsen, L., see Sinkjær, T. (85) 412

Aulich, A., see Müller, K. (85) 86

Avoni, P., see Montagna, P. (85) 225

Balestra, C., Duchateau, J. and Hainaut, K.

Effects of fatigue on the stretch reflex in a human muscle (85) 46

Basser, P.J., see Nilsson, J. (85) 253

Basser, P.J., see Panizza, M. (85) 22

Benecke, R., see Meyer, B.-U. (85) 197

Berić, A., see Deletis, V. (85) 302

Bertolasi, L., see Ferbert, A. (85) 382

Bischoff, C., see Meyer, B.-U. (85) 197

Boniface, S.J., see Mills, K.R. (85) 17

Borg, E., see Counter, S.A. (85) 280

Branston, N.M., see Liu, X. (85) 209

Brasil-Neto, J.P., McShane, L.M., Fuhr, P., Hallett, M. and Cohen, L.G.

Topographic mapping of the human motor cortex with magnetic stimulation: factors affecting accuracy and reproducibility (85) 9 Brismar, T. and Ekenvall, L.

Nerve conduction in the hands of vibration exposed workers (85) 173

Browne, J.K., see Seyal, M. (85) 397

Brune, G.G., see Masur, H. (85) 321

Burke, D., Hicks, R., Stephen, J., Woodforth, I. and Crawford, M. Assessment of corticospinal and somatosensory conduction simultaneously during scoliosis surgery (85) 388

Callea, L., see Ghezzi, A. (85) 248

Caramia, D., see Ferbert, A. (85) 382

Caruso, G., see Nilsson, J. (85) 253

Cevolani, D., see Lucchetti, C. (85) 220

Chokroverty, S., Walczak, T. and Hening, W.

Human startle reflex: technique and criteria for abnormal response (85) 236

Claus, D., see Spitzer, A. (85) 331

Cohen, L.G., see Brasil-Neto, J.P. (85) 9

Cohen, L.G., see Fuhr, P. (85) 53

Cohen, L.G., see Nilsson, J. (85) 253

Cohen, L.G., see Roth, B.J. (85) 116

Cohen, L.G., see Wassermann, E.M. (85) 1 Colosimo, C., see Di Lazzaro, V. (85) 311

Conrad, B., see Meyer, B.-U. (85) 197

Cortelli, P., see Montagna, P. (85) 225

Counter, S.A. and Borg, E.

Analysis of the coil generated impulse noise in extracranial magnetic stimulation (85) 280

Cracco, J.B., see Amassian, V.E. (85) 265

Cracco, R.Q., see Amassian, V.E. (85) 265

Cracco, R.Q., see Amassian, V.E. (85) 291

Crawford, M., see Burke, D. (85) 388

Dang, N., see Fuhr, P. (85) 53

Davey, K.R., see Weissman, J.D. (85) 215

Decchi, B., see Rossi, A. (85) 419

Deletis, V., Schild, J.H., Berić, A. and Dimitrijević, M.R.

Facilitation of motor evoked potentials by somatosensory afferent stimulation (85) 302

Delwaide, P.J., see Maertens de Noordhout, A. (85) 110

Denda, S., see Shimoji, K. (85) 72

Di Lazzaro, V., Restuccia, D., Colosimo, C. and Tonali, P.

The contribution of magnetic stimulation of the motor cortex to the diagnosis of cervical spondylotic myelopathy. Correlation of central motor conduction to distal and proximal upper limb muscles with clinical and MRI findings (85) 311

Dimitrijević, M.R., see Deletis, V. (85) 302

Dimitrijević, M.R., Kofler, M., McKay, W.B., Sherwood, A.M., Van der Linden, C. and Lissens, M.A.

Early and late lower limb motor evoked potentials elicited by transcranial magnetic motor cortex stimulation (85) 365

Dioszeghy, P. and Stålberg, E.

Changes in motor and sensory nerve conduction parameters with temperature in normal and diseased nerve (85) 229

Duchateau, J., see Balestra, C. (85) 46

Eberle, L., see Amassian, V.E. (85) 291

Ekenvall, L., see Brismar, T. (85) 173

Emori, T., see Saito, T. (85) 337

Epstein, C.M., see Weissman, J.D. (85) 215

Fahrendorf, G., see Masur, H. (85) 321

Falck, B., see Andreassen, S. (85) 143

Ferbert, A., Caramia, D., Priori, A., Bertolasi, L. and Rothwell, J.C. Cortical projection to erector spinae muscles in man as assessed by focal transcranial magnetic stimulation (85) 382 Findley, T.W., see Fuhr, P. (85) 53

Fuchigami, T., see Saito, T. (85) 337

Fuhr, P., see Brasil-Neto, J.P. (85) 9

Fuhr, P., Cohen, L.G., Dang, N., Findley, T.W., Haghighi, S., Oro, J. and Hallett, M.

Physiological analysis of motor reorganization following lower limb amputation (85) 53

Fukuda, S., see Shimoji, K. (85) 72

Gambetti, P., see Montagna, P. (85) 225

Gantchev, N., see Arendt-Nielsen, L. (85) 166

Gantchev, N., see Sinkjær, T. (85) 412

Ghezzi, A., Callea, L., Zaffaroni, M. and Zibetti, A.

Motor potentials of inferior orbicularis oculi muscle to transcranial magnetic stimulation. Comparison with responses to electrical peripheral stimulation of facial nerve (85) 248

Haghighi, S., see Fuhr, P. (85) 53

Hainaut, K., see Balestra, C. (85) 46

Hallett, M., see Agostino, R. (85) 190

Hallett, M., see Brasil-Neto, J.P. (85) 9

Hallett, M., see Fuhr, P. (85) 53

Hallett, M., see Nilsson, J. (85) 253

Hallett, M., see Panizza, M. (85) 22

Hallett, M., see Roth, B.J. (85) 116

Hallett, M., see Valls-Solé, J. (85) 355

Hallett, M., see Wassermann, E.M. (85) 1

Hasegawa, A., see Saito, T. (85) 337

Haug, B.A., Schönle, P.W., Knobloch, C. and Köhne, M.

Silent period measurement revives as a valuable diagnostic tool with transcranial magnetic stimulation (85) 158

Hayes, K.C., Allatt, R.D., Wolfe, D.L., Kasai, T. and Hsieh, J.

Reinforcement of subliminal flexion reflexes by transcranial magnetic stimulation of motor cortex in subjects with spinal cord injury (85) 102

Hayes, K.C., see Kasai, T. (85) 95

Hening, W., see Chokroverty, S. (85) 236

Henriksen, O., see Vestergaard-Poulsen, P. (85) 402

Heyen, P., see Masur, H. (85) 321

Hicks, R., see Burke, D. (85) 388

Hokari, T., see Shimoji, K. (85) 72

Holmgren, H., Kadanka, Z. and Larsson, L.-E.

Transcranial cortical stimulation. Late excitability changes in the soleus and anterior tibial motoneurone pools (85) 374

Hömberg, V., see Müller, K. (85) 86

Hsieh, J., see Hayes, K.C. (85) 102

Hui-Chan, C.W.Y., see Levin, M.F. (85) 131

Ito, Y., see Uozumi, T. (85) 273

Jellinek, D.A., see Liu, X. (85) 209

Kadanka, Z., see Holmgren, H. (85) 374

Kamen, G., see Koceja, D.M. (85) 177

Kasai, T., Hayes, K.C., Wolfe, D.L. and Allatt, R.D.

Afferent conditioning of motor evoked potentials following transcranial magnetic stimulation of motor cortex in normal subjects (85) 95

Kasai, T., see Hayes, K.C. (85) 102

Kawauchi, M., see Liu, X. (85) 209

Knobloch, C., see Haug, B.A. (85) 158

Koceja, D.M. and Kamen, G.

Contralateral influences on triceps surae motoneuron excitability (85) 177

Kofler, M., see Dimitrijević, M.R. (85) 365

Köhne, M., see Haug, B.A. (85) 158

Krain, L., see Ross, M.A. (85) 42

Kudina, L.P. and Alexeeva, N.L.

After-potentials and control of repetitive firing in human motoneurones (85) 345

Kudina, L.P. and Alexeeva, N.L.

Repetitive doublets of human moioneurones: analysis of interspike intervals and recruitment pattern (85) 243

Kunze, K., see Pfeiffer, G. (85) 161

Lange, H.W., see Meyer, B.-U. (85) 197

Larsson, L.-E., see Holmgren, H. (85) 374

Leis, A.A., see Ross, M.A. (85) 42

Lenard, H.G., see Müller, K. (85) 86

Levin, M.F. and Hui-Chan, C.W.Y.

Relief of hemiparetic spasticity by TENS is associated with improvement in reflex and voluntary motor functions (85) 131

Lim, C.L. and Yiannikas, C.

Motor evoked potentials: a new method of controlled facilitation using quantitative surface EMG (85) 38

Lissens, M.A., see Dimitrijević, M.R. (85) 365

Liu, X., Branston, N.M., Kawauchi, M., Jellinek, D.A. and Symon, L. Electrical stimulation of motor cortex in experimental cortical ischaemia: pyramidal responses at C₅ and the surface EMG (85) 200

Lucchetti, C. and Cevolani, D.

The effects of maturation on spontaneous eye movements in the macaque monkey (85) 220

Ludolph, A.C., see Masur, H. (85) 321

Lugaresi, E., see Montagna, P. (85) 225

Maccabee, P.J., see Amassian, V.E. (85) 265

Maccabee, P.J., see Amassian, V.E. (85) 291

Machetanz, J., see Meyer, B.-U. (85) 197

Maertens de Noordhout, A., Pepin, J.L., Schoenen, J. and Delwaide, P.J.

Percutaneous magnetic stimulation of the motor cortex in migraine (85) 110

Magistris, M.R. and Roth, G.

Motor axon reflex and indirect double discharge: ephaptic transmission? A reappraisal (85) 124

Marchello, L.P., see Montagna, P. (85) 225

Masuoka, L.K., see Seyal, M. (85) 397

Masur, H., Oberwittler, C., Fahrendorf, G., Heyen, P., Reuther, G., Nedjat, S., Ludolph, A.C. and Brune, G.G.

The relation between functional deficits, motor and sensory conduction times and MRI findings in syringomyelia (85) 321

Matsue, Y., see Saito, T. (85) 337

Mazzini, L. and Schieppati, M.

Activation of the neck muscles from the ipsi- or contralateral hemisphere during voluntary head movements in humans. A reaction-time study (85) 183

McIntosh, J.S., see Schmidt, E.M. (85) 61

McKay, W.B., see Dimitrijević, M.R. (85) 365

McShane, L.M., see Brasil-Neto, J.P. (85) 9

McShane, L.M., see Wassermann, E.M. (85) 1

Meyer, B.-U., Noth, J., Lange, H.W., Bischoff, C., Machetanz, J., Weindl, A., Röricht, S., Benecke, R. and Conrad, B.

Motor responses evoked by magnetic brain stimulation in Huntington's disease (85) 197

Mills, K.R., Boniface, S.J. and Schubert, M.

Magnetic brain stimulation with a double coil: the importance of coil orientation (85) 17

Mitchell, G., see Ross, M.A. (85) 42

Monari, L., see Montagna, P. (85) 225

Montagna, P., Cortelli, P., Avoni, P., Marchello, L.P., Monari, L., Tinuper, P., Gambetti, P. and Lugaresi, E.

Abnormal sympathetic skin responses in thalamic lesions (85) 225

Müller, K., Hömberg, V., Aulich, A. and Lenard, H.G.

Magnetoelectrical stimulation of motor cortex in children with motor disturbances (85) 86

Murai, Y., see Uozumi, T. (85) 273

Murray, N.M.F.

The clinical usefulness of magnetic cortical stimulation (85) 81

Nedjat, S., see Masur, H. (85) 321

Nilsson, J., see Panizza, M. (85) 22

Nilsson, J., Panizza, M., Roth, B.J., Basser, P.J., Cohen, L.G., Caruso, G. and Hallett, M.

Determining the site of stimulation during magnetic stimulation of a peripheral nerve (85) 253

Noth, J., see Meyer, B.-U. (85) 197

Oberwittler, C., see Masur, H. (85) 321 Olesen, K.G., see Andreassen, S. (85) 143 Onishi, H., see Saito, T. (85) 337 Oro, J., see Fuhr, P. (85) 53

Panizza, M., see Nilsson, J. (85) 253

Panizza, M., Nilsson, J., Roth, B.J., Basser, P.J. and Hallett, M. Relevance of stimulus duration for activation of motor and sensory fibers: implications for the study of H-reflexes and magnetic stimulation (85) 22

Pascual-Leone, A., see Roth, B.J. (85) 116

Pascual-Leone, A., see Valls-Solé, J. (85) 355

Pepin, J.L., see Maertens de Noordhout, A. (85) 110

Pfeiffer, G. and Kunze, K.

Turn and phase counts of individual motor unit potentials: correlation and reliability (85) 161

Porter, R., see Schmidt, E.M. (85) 61 Priori, A., see Ferbert, A. (85) 382

Restuccia, D., see Di Lazzaro, V. (85) 311

Reuther, G., see Masur, H. (85) 321

Röricht, S., see Meyer, B.-U. (85) 197

Rosenfalck, A., see Vestergaard-Poulsen, P. (85) 402

Ross, M.A., Leis, A.A., Krain, L. and Mitchell, G.

Normal conduction in pathways traversing an asymptomatic multiple sclerosis plaque (85) 42

Rossi, A., Decchi, B. and Vecchione, V.

Supraspinal influences on recurrent inhibition in humans. Paralysis of descending control of Renshaw cells in patients with mental retardation (85) 419

Roth, B.J., Pascual-Leone, A., Cohen, L.G. and Hallett, M.

The heating of metal electrodes during rapid-rate magnetic stimulation: a possible safety hazard (85) 116

Roth, B.J., see Nilsson, J. (85) 253

Roth, B.J., see Panizza, M. (85) 22

Roth, G., see Magistris, M.R. (85) 124

Rothwell, J.C., see Ferbert, A. (85) 382

Saito, T., Yamada, T., Hasegawa, A., Matsue, Y., Emori, T., Onishi, H. and Fuchigami, T.

Recovery functions of common peroneal, posterior tibial and sural nerve somatosensory evoked potentials (85) 337

Sanes, J.N., see Agostino, R. (85) 190

Sato, Y., see Shimoji, K. (85) 72

Schieppati, M., see Mazzini, L. (85) 183

Schild, J.H., see Deletis, V. (85) 302

Schmidt, E.M., Porter, R. and McIntosh, J.S.

The effects of cooling supplementary motor area and midline cerebral cortex on neuronal responses in area 4 of monkeys (85)

Schoenen, J., see Maertens de Noordhout, A. (85) 110

Schönle, P.W., see Haug, B.A. (85) 158

Schubert, M., see Mills, K.R. (85) 17

Seyal, M., Masuoka, L.K. and Browne, J.K.

Suppression of cutaneous perception by magnetic pulse stimulation of the human brain (85) 397

Sherwood, A.M., see Dimitrijević, M.R. (85) 365

Shimoji, K., Sato, Y., Denda, S., Takada, T., Fukuda, S. and Hokari, T.

Slow positive dorsal cord potentials activated by heterosegmental stimuli (85) 72

Sinkjær, T., see Arendt-Nielsen, L. (85) 166

Sinkjær, T., Gantchev, N. and Arendt-Nielsen, L.

Mechanical properties of human ankle extensors after muscle potentiation (85) 412

Sinkiær, T., see Vestergaard-Poulsen, P. (85) 402

Spitzer, A. and Claus, D.

The influence of the shape of mechanical stimuli on muscle stretch reflexes and SEP (85) 331

Stålberg, E., see Dioszeghy, P. (85) 229

Stålberg, E., see Trontelj, J.V. (85) 30

Stephen, J., see Burke, D. (85) 388

Stubgaard, M., see Vestergaard-Poulsen, P. (85) 402

Symon, L., see Liu, X. (85) 209

Takada, T., see Shimoji, K. (85) 72

Thomsen, C., see Vestergaard-Poulsen, P. (85) 402

Tinuper, P., see Montagna, P. (85) 225

Tonali, P., see Di Lazzaro, V. (85) 311

Trontelj, J.V. and Stålberg, E.

Jitter measurement by axonal micro-stimulation. Guidelines and technical notes (85) 30

Tsuji, S., see Uozumi, T. (85) 273

Uozumi, T., Ito, Y., Tsuji, S. and Murai, Y.
Inhibitory period following motor potentials evoked by magnetic cortical stimulation (85) 273

Valls-Solé, J., Pascual-Leone, A., Wassermann, E.M. and Hallett, M. Human motor evoked responses to paired transcranial magnetic stimuli (85) 355

Van der Linden, C., see Dimitrijević, M.R. (85) 365

Vecchione, V., see Rossi, A. (85) 419

Vestergaard-Poulsen, P., Thomsen, C., Sinkjær, T., Stubgaard, M., Rosenfalck, A. and Henriksen, O.

Simultaneous electromyography and ³¹P nuclear magnetic resonance spectroscopy — with application to muscle fatigue (85) 402

Walczak, T., see Chokroverty, S. (85) 236

Wassermann, E.M., McShane, L.M., Hallett, M. and Cohen, L.G. Noninvasive mapping of muscle representations in human motor cortex (85) 1

Wassermann, E.M., see Valls-Solé, J. (85) 355

Weindl, A., see Meyer, B.-U. (85) 197

Weissman, J.D., Epstein, C.M. and Davey, K.R.

Magnetic brain stimulation and brain size: relevance to animal studies (85) 215

Wolfe, D.L., see Hayes, K.C. (85) 102

Wolfe, D.L., see Kasai, T. (85) 95

Woodforth, I., see Burke, D. (85) 388

Yamada, T., see Saito, T. (85) 337 Yiannikas, C., see Lim, C.L. (85) 38

Zaffaroni, M., see Ghezzi, A. (85) 248

Zibetti, A., see Ghezzi, A. (85) 248

Zwarts, M.J.

Central motor conduction in relation to contra- and ipsilateral activation (85) 425

Index of Subjects

VOLUME 85 (EMG & Motor Control), 1992

(Abstracts from Society Proceedings are not included)

Afferent

- flexion reflexes in spinal cord injury, 102

Afferent volley and facilitation of MEPs, 302 After-potentials

- motoneurone after-potentials and repetitive firing, 345

- motoneurone repetitive doublets, 243

Alpha motoneurone and leg amputation, 53

Amyotrophic lateral sclerosis, 229

Ankle extensor properties after muscle potentiation, 412

Antagonist inhibition during fast movements, 190

Auditory startle reflex criteria in human, 236

Autonomic system and thalamus, 225

Axonal

- jitter measurement by axonal stimulation, 30

- motor axon reflex and indirect double discharge, 124

Blink reflex in multiple sclerosis, 42 Brain size and magnetic stimulation, 215 Brain-stem auditory evoked potentials and multiple sclerosis, 42

Carpal tunnel syndrome

- diagnostic function of an EMG expert system, 143
- neurography in vibration syndrome, 173

Causal probabilistic network

- diagnostic function of an EMG expert system, 143 Central motor conduction
- in cervical spondylotic myelopathy, 311
- in contra- and ipsilateral activation, 425
- monitoring, 388

Cerebello-frontal cortical projections in human, 265

Cerebral blood flow and motor responses, 209

Cervical spondylosis and motor conduction, 311

Children, see Infants

Clinical usefulness of magnetic cortical stimulation, 81

Computer-aided diagnosis

- diagnostic function of an EMG expert system, 143 Conditioning
- contralateral influences on triceps surae, 177
- of motor evoked potentials, 95

Conduction

- in contra- and ipsilateral activation, 425
- in vibration syndrome, 173
- monitoring of motor pathway conduction, 388
- muscle length and fatigue, 166
- site of magnetic stimulation, 253
- temperature effects, 229
- usefulness of magnetic stimulation, 81

Controlled facilitation

- MEP facilitation using quantitative surface EMG, 38 Corpus callosum
- reaction times of neck muscles, 183

- effects of supplementary motor area cooling, 61
- magnetic excitation of nerve fibre-skull model, 291
- magnetic stimulation in migraine, 110
- see also Magnetic brain stimulation

Cortical representation of erector spinae muscle, 382 Corticospinal

- flexion reflexes in spinal cord injury, 102
- magnetic stimulation, 86, 158, 291
- monitoring of motor pathway conduction, 388
- motor responses in Huntington's disease, 197
- nerve fibre-skull model, 291
- silent period with magnetic stimulation, 158
- stimulation of motor cortex in children, 86

Cutaneous perception suppressed by brain stimulation, 397

Demyelination

- temperature effects on nerve conduction parameters, 229
- usefulness of magnetic cortical stimulation, 81 Diabetes and nerve conduction parameters, 229 Diagnosis
- EMG expert system, 143
- silent period with magnetic stimulation, 158
- usefulness of magnetic cortical stimulation, 81

Electrical stimulation

- ankle extensor and muscle potentiation, 412
- effects of magnetic stimulation on MEPs, 248
- of motor and sensory fibres, 22
- relief of hemiparetic spasticity, 131

Electric field, magnetic stimulation and brain size, 215 Electrode heating during magnetic stimulation, 116

Electroneurography in vibration syndrome, 173

- diagnostic function of an EMG expert system, 143
- fatigue and muscle reflexes, 46
- flexion reflexes in spinal cord injury, 102
- human startle reflex criteria and abnormality, 236
- jitter measurement by axonal stimulation, 30
- MEP facilitation using quantitative surface EMG, 38
- MEPs to transcranial magnetic brain stimulation, 365
- motor axon reflex and indirect double discharge, 124 - motor responses in cortical ischaemia, 209

- motor responses in Huntington's disease, 197
- muscle length, conduction velocity and fatigue, 166
- myokymia in multiple sclerosis, 42
- silent period with magnetic stimulation, 158
- simultaneous EMG and 31 P NMR spectroscopy, 402
- turn counts in motor unit potentials, 161

Enhanse

- motor axon reflex and indirect double discharge, 124
 Erector spinae muscle cortical projection, 382
 Evoked potentials
- human cerebello-frontal cortical projections, 265
- myokymia in multiple sclerosis, 42
- somatosensory, see Somatosensory evoked potentials Excitability
- motor response to paired magnetic stimulation, 355
- of motoneurone pools and magnetic stimulation, 374
 Expert system
- diagnostic function of an EMG expert system, 143
 Extrapyramidal symptoms
- magnetic stimulation of motor cortex in children, 86
 Eye movement maturation, 220

Facial nerve

- effects of magnetic stimulation on motor potentials, 248
 Facilitation
- flexion reflexes in spinal cord injury, 102
- motor conduction in contra- and ipsilateral activation, 425
 Fast movements and antagonist inhibition, 190
- Fatigue
 and muscle reflexes, 46
- simultaneous EMG and ³¹P NMR spectroscopy, 402

Firing patterns

- and motoneurone after-potentials, 345
- noneurone repetitive doublets, 243

Flexion reflex

- conditioning of motor evoked potentials, 95
- in spinal cord injury, 102

Frontal cortex

- human cerebello-frontal cortical projections, 265

F wave

- inhibitory period following MEPs, 273

Gating

- recovery function of lower extremity SEPs, 337

Guillain-Barré syndrome

- temperature effects on nerve conduction parameters, 229

Habituation

- human startle reflex criteria and abnormality, 236
 Hand muscles
- cortical projection of erector spinae muscle, 382
- neurography in vibration syndrome, 173

Head movements

- reaction times of neck muscles, 183

Hearing

- magnetic coil impulse noise artifact, 280

Hemiparesis

- magnetic stimulation of motor cortex in children, 86
- relief of hemiparetic spasticity by TENS, 131
- silent period with magnetic stimulation, 158

Heterosegmental slow positive cord potential, 72 Hoffmann reflex

- activation of motor and sensory fibres, 22
- contralateral influences on triceps surae, 177
- excitability of motoneurone pools, 374
- motor reorganization after leg amputation, 53
- stretch reflex and SEP, 331

- Huntington's disease and motor responses, 197 Hyperekplexia
- human startle reflex criteria and abnormality, 236

Impulse noise artifact, 280

Indirect double discharge and motor axon reflex, 124

- magnetic stimulation of motor cortex, 86

Inhibitory period following motor evoked potentials, 273 Intermediate latency response

- motor axon reflex and indirect double discharge, 124
 Interspike intervals
- motoneurone repetitive doublets, 243

Intracortical inhibition

- motor response to paired magnetic stimulation, 355
 Intraoperative monitoring
- motor responses in cortical ischaemia, 209
- of motor pathway conduction, 388

Ischaemia

- motor responses in cortical ischaemia, 209

Jitter measurement by axonal stimulation, 30

Late responses

- excitability of motoneurone pools, 374

Lesions

- sympathetic skin response and thalamus, 225

Long-latency reflexes

- stretch reflex and SEP, 331
- Long-loop reflexes in Huntington's disease, 197

Magnetic brain stimulation

- and brain size, 215
- and MEPs, 365
- and suppression of cutaneous perception, 397
- conditioning of MEPs, 95
- cortical projection of erector spinae muscle, 382
- effects on motor potentials, 248
- electrode heating, 116
- excitability of motoneurone pools, 374
- flexion reflexes in spinal cord injury, 102
- human cerebello-frontal cortical projections, 265
- in cervical spondylotic myelopathy, 311
- inhibitory period following MEPs, 273
- in migraine, 110
- magnetic coil impulse noise artifact, 280
- mapping with magnetic stimulation, 1, 9
- MEP facilitation using quantitative surface EMG, 38
- monitoring of motor pathway conduction, 388
- morphological and functional deficits in syringomyelia, 321
- motor conduction in contra- and ipsilateral activation, 425
- motor reorganization after leg amputation, 53
- motor response to paired magnetic stimulation, 355
- motor responses in Huntington's disease, 197
- of motor and sensory fibres, 22
- of motor cortex in children, 86
- of nerve fibre-skull model, 291
- silent period, 158
- site of magnetic stimulation, 253
- usefulness of magnetic cortical stimulation, 81
- with a double coil, 17

Magnetic field and brain size, 215

Magnetic resonance imaging

- in syringomyelia, 321
- myokymia in multiple sclerosis, 42

Magnetic resonance spectroscopy

- simultaneous EMG and ³¹P NMR spectroscopy, 402

Mapping, see Topographic mapping Maturation

- of eye movements, 220

- see also Mental retardation

Mechanical stimulation

- stretch reflex and SEP, 331

Mental retardation

- supraspinal influences on recurrent inhibition, 419

Migraine and cortical magnetic stimulation, 110
Modellization

- magnetic excitation of nerve fibre-skull model, 291

- magnetic stimulation and brain size, 215

- motor axon reflex and indirect double discharge, 124

- site of magnetic stimulation, 253

Monitoring of motor pathway conduction, 388

Monkey

- effects of supplementary motor area cooling, 61

- maturation of eye movements, 220

- motor responses in cortical ischaemia, 209

Motoneurone

- after-potentials and repetitive firing, 345

- excitability and magnetic stimulation, 374

- repetitive doublets, 243

- supraspinal influences on recurrent inhibition, 419

Motor axon reflex and indirect double discharge, 124 Motor control

- human cerebello-frontal cortical projections, 265

- motoneurone after-potentials and repetitive firing, 345

- relief of hemiparetic spasticity, 131

Motor cortex

- and syringomyelia, 321

- conditioning of MEPs, 95

- cortical projection of erector spinae muscle, 382

- effects of supplementary motor area cooling, 61

- facilitation of MEPs by afferent stimulation, 302

- inhibitory period following MEPs, 273

- mapping, 1, 9

- monitoring of motor pathway conduction, 388

- reorganization after leg amputation, 53

- responses in cortical ischaemia, 209

- see also Magnetic brain stimulation

- see also Supplementary motor cortex

Motor disturbance

- magnetic stimulation of motor cortex in children, 86

Motor evoked potentials

- conditioning of motor evoked potentials, 95

- cortical magnetic stimulation in migraine, 110

- flexion reflexes in spinal cord injury, 102

- in contra- and ipsilateral activation, 425

- inhibitory period following motor evoked potentials, 273

- MEP facilitation, 38, 302

- motor cortex mapping, 1, 9

- motor responses in Huntington's disease, 197

- to transcranial magnetite brain stimulation, 81, 365

Motor fibre activation, 22

Motor neurone disease

- temperature effects on nerve conduction parameters, 229

- usefulness of magnetic cortical stimulation, 81

Motor pathways

- monitoring of motor pathway conduction, 388

- motor reorganization after leg amputation, 53

Motor potential

- effects of magnetic stimulation, 248

- turn counts in motor unit potentials, 161

Motor representation and magnetic stimulation, 1

- antagonist inhibition during fast movements, 190

- effects of supplementary motor area cooling, 61

- recovery function of lower extremity SEPs, 337

Multiple sclerosis and myokymia, 42

Muscle

- ankle extensor properties after muscle potentiation, 412

- antagonist inhibition during fast movements, 190

- diagnostic function of an EMG expert system, 143

- effects of magnetic stimulation on motor potentials, 248

- fatigue and muscle reflexes, 46

- inhibitory period following motor evoked potentials, 273

- motor conduction in contra- and ipsilateral activation, 425

- muscle length, conduction velocity and fatigue, 166

- reaction times of neck muscles, 183

- simultaneous EMG and 31P NMR spectroscopy, 402

Myasthenia gravis

- jitter measurement by axonal stimulation, 30

Myelopathy

- conditioning of motor evoked potentials, 95

- motor conduction in cervical spondylosis, 311

Myokymia in multiple sclerosis, 42

Myopathy

- turn counts in motor unit potentials, 161

Nerv

- diagnostic function of an EMG expert system, 143

- magnetic excitation of nerve fibre-skull model, 291

- site of magnetic stimulation, 253

- temperature effects on nerve conduction parameters, 229

- see also Conduction time

Neurography

- motor axon reflex and indirect double discharge, 124

Neuromuscular transmission

- jitter measurement by axonal stimulation, 30

Neuronal activity

- effects of supplementary motor area cooling, 61

heterosegmental slow positive cord potential, 72

Neuropathy

- diagnostic function of an EMG expert system, 143

- neurography in vibration syndrome, 173

- turn counts in motor unit potentials, 161

usefulness of magnetic cortical stimulation, 81

Normal human subjects

- activation of motor and sensory fibres, 22

- ankle extensor properties after muscle potentiation, 412

- antagonist inhibition during fast movements, 190

- conditioning of motor evoked potentials, 95

- contralateral influences on triceps surae, 177

cortical projection of erector spinae muscle, 382
 effects of magnetic stimulation on motor potentials, 248

- excitability of motoneurone pools, 374

- facilitation of MEPs by afferent stimulation, 302

- human cerebello-frontal cortical projections, 265

- human startle reflex criteria and abnormality, 236

- magnetic brain stimulation with a double coil, 17

- mapping with magnetic stimulation, 1

- MEPs to transcranial magnetic brain stimulation, 365

- motoneurone after-potentials and repetitive firing, 345

- motoneurone repetitive doublets, 243

motor conduction in contra- and ipsilateral activation, 425
 motor cortex mapping, 9

- motor response to paired magnetic stimulation, 355

- muscle length, conduction velocity and fatigue, 166

reaction time of neck muscles, 183
 recovery function of lower extremity SEPs, 337

- silent period with magnetic stimulation, 158

- simultaneous EMG and 31P NMR spectroscopy, 402

- site of magnetic stimulation, 253

- stretch reflex and SEP, 331
- suppression of cutaneous perception, 397

Paired stimulation and motor response, 355

Parkinsonism

- silent period with magnetic stimulation, 158

Peak activity

antagonist inhibition during fast movements, 190

Perception suppressed by brain stimulation, 397

Peroneal nerve

- recovery function of lower extremity SEPs, 337 Phase

turn counts in motor unit potentials, 161

Phenytoin

- temperature effects on nerve conduction parameters, 229 Phosphorus metabolism

- simultaneous EMG and 31P NMR spectroscopy, 402

Plasticity

- motor reorganization after leg amputation, 53

Post-excitatory inhibition and magnetic stimulation, 158

Post-tetanic potentiation and ankle extensor properties, 412

- supraspinal influences on recurrent inhibition, 419

Propagation

- muscle length, conduction velocity and fatigue, 166

Pyramidal tract and cortical ischaemia, 209

Quantitative EMG

- turn counts in motor unit potentials, 161

- heterosegmental slow positive cord potential, 72

- electrode heating during magnetic stimulation, 116

Reaction time of neck muscles, 183

Recovery function

- contralateral influences on triceps surae, 177

- motoneurone after-potentials and repetitive firing, 345

- recovery function of lower extremity SEPs, 337

Recruitment pattern

- motoneurone repetitive doublets, 243

Recurrent inhibition and supraspinal influences, 419 Reflexes

- relief of hemiparetic spasticity by TENS, 131

Repetitive doublets of motoneurones, 243

Saccade

- maturation of eye movements, 220

Safety

- electrode heating during magnetic stimulation, 116 Scoliosis

- monitoring of motor pathway conduction, 388

Sensorimotor integration

- facilitation of MEPs by afferent stimulation, 302

Sensory fibre activation, 22

Silent period with magnetic stimulation, 158

Single motor unit repetitive doublets, 243

Skull-nerve fibre model, 291

Slow positive cord potential, 72

Society proceedings

- American, Vancouver, September 1991, 1P

Somatosensory conduction, see Conduction

Somatosensory evoked potentials

and stretch reflex, 331

- functional deficits in syringomyelia, 321

- recovery function of lower extremity SEPs, 337 Spasticity

- inhibitory period following motor evoked potentials, 273

- relief of hemiparetic spasticity by TENS, 131

Spinal cord

- conditioning of motor evoked potentials, 95

- heterosegmental slow positive cord potential, 72

- monitoring of motor pathway conduction, 388

- morphological and functional deficits in syringomyelia, 321

- motor conduction in cervical spondylotic myelopathy, 311

- reinforcement of flexion reflexes in spinal cord injury, 102 Spinal motoneurones

- excitability of motoneurone pools, 374

- motor response to paired magnetic stimulation, 355

Spinal reflexes

- contralateral influences on triceps surae, 177

Spindle afferents

- stretch reflex and SEP, 331

Splenius muscle reaction time, 183

Startle reflex criteria in human, 236

Sternocleidomastoid muscle reaction time, 183

Stiffness

- ankle extensor properties after muscle potentiation, 412

Stimulus duration

- activation of motor and sensory fibres, 22

Stretch reflex and SEP, 331

Supplementary motor cortex cooling, 61

Supraspinal influences on recurrent inhibition, 419

Sural nerve recovery function, 337

Sympathetic skin response and thalamus, 225

Syringomyelia

- morphological and functional deficits, 321

Temperature effects on nerve conduction parameters, 229

Thalamus and sympathetic skin response, 225

Threshold

- activation of motor and sensory fibres, 22

Tibial nerve

- contralateral influences on triceps surae, 177

recovery function of lower extremity SEPs, 337

Topographic mapping

- of motor cortex, 9

with magnetic stimulation, 1

Transcutaneous electrical nerve stimulation

- relief of hemiparetic spasticity, 131

Turn counts in motor unit potentials, 161

Upper motor neurone syndrome

- magnetic stimulation of motor cortex in children, 86

Vibration syndrome and neurography, 173

Virtual cathode

site of magnetic stimulation, 253

Volume conduction

- magnetic excitation of nerve fibre-skull model, 291

Voluntary contraction

- antagonist inhibition during fast movements, 190

fatigue and muscle reflexes, 46

- MEP facilitation using quantitative surface EMG, 38

muscle length, conduction velocity and fatigue, 166

Voluntary movement

supraspinal influences on recurrent inhibition, 419

V1 wave

- inhibitory period following motor evoked potentials, 273

- maturation of eye movements, 220

Wide dynamic range neurone

- heterosegmental slow positive cord potential, 72

- ankle extensor properties after muscle potentiation, 412